

FOSFITAL EXTRA

Potassium phosphite 30-20

GUARANTEED CONTENTS:	% w/w	% w/v
Phosphorus* (P ₂ O ₅) water-soluble:	30,00	42,00
Potassium (K ₂ O) water-soluble:	20,00	28,00

*In the form of phosphite ion



pH= 4
1 l = 1,40 kg.



Not available for the European Union

Properties

FOSFITAL Extra is a product in liquid form, water-soluble, with a double function on plants. On the one hand, it acts as a powerful nutrient, stimulating fruit ripening due to its content of potassium. On the other hand, the presence of phosphorus in the form of ion PHOSPHITE, acts stimulating the self-defence mechanisms of plants.

The application of **FOSFITAL Extra** is recommended when the consumption of these elements is more important, such as the formation of the root system, flowering, fruit setting, fattening and ripening. It prevents water-related diseases and rot in horticultural crops.

Crops

FOSFITAL Extra is recommended for all types of crops: fruit trees (pip and pit fruits), citrus, vegetables, extensive and ornamental crops to favour growth and fattening of fruits.

Doses and directions for use






Both foliar and radicular applications.

General application rates:

Foliar: 2–3 l/ha and application.

Radicular: 2–4 l/ha and application.

It is recommended to apply in rainy and high humidity periods.

CROP	DOSES l/ha	APPLICATIONS / FREQUENCY
	Radicular	
 Fruit vegetables	2 - 3	Every 15 – 20 days since transplant
 Leaf vegetables	2 - 3	Every 15 – 20 days since transplant
 Citrus and subtropical crops	2 - 4	2 – 3 applications: spring sprouting and fattening
 Fruit trees, olive trees and vines	2 - 4	2 – 3 applications: spring sprouting and fattening
 Extensive and ornamental	1 - 1,5	2 – 3 applications

Compatibilities

FOSFITAL Extra is compatible with most of the available fertilizers and phytosanitary products known, even though it is advisable to perform a previous test. Do not mix with mineral oils, sulphur or products containing copper. In the latter case, after the application of a copper compound, wait at least 15 days before applying this product.